

PART B — (5 × 13 = 65 marks)

11. (a) (i) Find out whether the following signals are periodic or not. If periodic find the period $x(t) = 2\cos(10t + 1) - \sin(4t - 1)$
 $x(n) = \cos(0.1\pi n)$.
- (ii) Find out whether the following signals are energy or power signal or neither power nor energy. Determine power or energy as the case may be for the signal $x(t) = u(t) + 5u(t - 1) - 2u(t - 2)$.

Or

- (b) Determine the properties viz linearity, causality, time invariance and dynamicity of the given systems

$$y(t) = \frac{d^2y}{dt^2} + 3t \frac{dy}{dt} + y(t) = x(t)$$

$$y_1(n) = x(n^2) + x(n)$$

$$y_2(n) = \log_{10} x(n)$$

12. (a) Obtain the Fourier co-efficient and write the quadrature form of a fully rectified sine wave.

Or

- (b) Determine the inverse Laplace Transform of the following

(i) $x(s) = \frac{1 - 2s^2 - 14s}{s(s+3)(s+4)}$

(ii) $x(s) = \frac{2s^2 + 10s + 7}{(s+1)(s^2 + 3s + 2)}$

13. (a) A causal LTI system having a frequency response $H(j\Omega) = \frac{1}{j\Omega + 3}$ is producing an output $y(t) = e^{-3t}u(t) - e^{-4t}u(t)$ for a particular input $x(t)$. Determine $x(t)$.

Or

- (b) Realize the given system in parallel form $H(s) = \frac{s(s+2)}{s^3 + 8s^2 + 19s + 12}$.

14. (a) State and prove Sampling theorem.

Or

- (b) State and prove the following properties of DTFT

- (i) Differentiation in frequency
- (ii) Convolution in frequency domain.

15. (a) Perform convolution to find the response of the systems $h_1(n)$ and $h_2(n)$ for the input sequences $x_1(n)$ and $x_2(n)$ respectively.

- (i) $x_1(n) = \{1, -1, 2, 3\}$ $h_1(n) = \{1, -2, 3, -1\}$
- (ii) $x_2(n) = \{1, 2, 3, 2\}$ $h_2(n) = \{1, 2, 2\}$.

Or

- (b) For a causal LTI system the input $x(n)$ and output $y(n)$ are related through a difference equation $y(n) - \frac{1}{6}y(n-1) - \frac{1}{6}y(n-2) = x(n)$. Determine the frequency response $H(e^{j\omega})$ and the impulse response $h(n)$ of the system.

PART C — (1 × 15 = 15 marks)

16. (a) Using Laplace Transform determine the response of the system described by the equation $\frac{d^2y(t)}{dt^2} + 5\frac{dy(t)}{dt} + 4y(t) = \frac{dx(t)}{dt}$ with initial conditions $y(0) = 0$; $\left. \frac{dy(t)}{dt} \right|_{t=0} = 1$ for the input $x(t) = e^{-2t}u(t)$.

Or

- (b) Determine the steady state response for the system with impulse response $h(n) = [j \ 0.5]^n$ for an input $x(n) = \cos(\pi n)u(n)$.